Docket No. 3968-179

Page 2 of 6

## AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the instant application:

## 15-35 Cancelled

- 36. (New) An antimicrobial and non-cytotoxic layered material, comprising:
  - a) a biocide layer having a biocidal active agent,
    and
  - b) a transport control layer covering the biocide layer, having a thickness and porosity adjusted to release an antimicrobial and non-cytotoxic quantity of the biocidal active agent out of the biocide layer and through the transport control layer,

wherein the transport control layer is a plasma polymer layer and/or a sputter-applied layer and wherein the transport control layer has a silicon content of 20 to 60%, a carbon content of 10 to 30% and an oxygen content of 30 to 50%.

37. (New) A layered material according to claim 36, wherein the transport control layer has a gas permeability for oxygen ( $O_2$ ) which is in the range from 100 to 1000 (cm<sup>3</sup> bar)/(day m<sup>2</sup>)

Docket No. 3968-179

Page 3 of 6

- 38. (New) A layered material according to claim 36, wherein the transport control layer has a gas permeability for oxygen (O<sub>2</sub>) which is preferably in the range from 500 to 700 (cm<sup>3</sup> bar)/(day m<sup>2</sup>).
- 39. (New) A layered material according to claim 36, wherein the biocidal active agent is selected from the group consisting of silver, copper and zinc, their ions and their metal complexes, or a mixture or alloy comprising two or more of said elements.
- 40. (New) A layered material according to claim 36, wherein the biocidal active agent is an inorganic biocide having a mean particle size of 5-100 nm.
- 41. (New) A layered material according to claim 36, wherein the biocide layer further comprises: gold, platinum, palladium, iridium, tin, antimony, their ions, their metal complexes, or an alloy of the biocidal active agent with one or more of said elements.
- 42. (New) A layered material according to claim 36, wherein the transport control layer comprises a substrate material that is selected from the group consisting of
  - a) an organic substrate material, selected from the group consisting of a plasma polymer, a sol-gel, a coating, and a siliconised substrate material,
  - b) an inorganic substrate material, selected from the group consisting of SiO<sub>2</sub> and SiC, a metal oxide and a non-biocidal metal, and
  - c) a combination thereof.

Docket No. 3968-179

Page 4 of 6

- 43. (New) A layered material according to claim 42, wherein the metal oxide is TiO<sub>2</sub>, A1<sub>2</sub>O<sub>3</sub> or a combination thereof, and wherein the non-biocidal metal is titanium, medical stainless steel, or a combination thereof.
- 44. (New) A layered material according to claim 36, wherein the biocide layer has a mean thickness of 5-100 nm.
- 45. (New) A layered material according to one claim 36, wherein the transport control layer has a mean thickness of 5-500 nm.
- 46. (New) A medical product comprising an antimicrobial, non-cytotoxic layered material according to claim 36.
- 47. (New) A method for producing an antimicrobial, non-cytotoxic layered material according to claim 36, comprising by the steps:
  - a) providing a solid body provided with a biocide,
    and
  - b) providing the solid body with a transport control layer, in order to release an antimicrobial and non-cytotoxic quantity of the biocidal active agent out of the biocide layer and through the transport control layer, by plasma polymerisation

Docket No. 3968-179

Page 5 of 6

and/or by sputter application, such that the transport control layer has a silicon content of 20 to 60%, a carbon content of 10 to 30% and an oxygen content of 30 to 50%.